



Fränkische

78316102

GTIN: 4013960571660

Fränkische profi-air ISO plus pipe incl. coupling DN 160 - 1000 mm

profi-air ISO plus

78316102

ITEM DETAILS

Completely insulated and vapour-tight EPS pipe featuring thermal conductivity group 032, including iso plus pipe coupling. profi-air iso plus pipes are suitable for fresh, exhaust, supply and extract air.
Permissible operating temperature: -25 to 80 degrees C

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	4 Piece
Order step size	4 Piece

FEATURES

Product group	Round air duct (EC011444)
Model	Hard foam duct (full insulation)
Material duct	Other
Material quality duct	Other
Production method	Other
Material insulation	Expanded polystyrene (EPS)
Insulation thickness	15.00 mm
Perforated inner wall	No
Outside colour	Grey
Nominal duct diameter	160 mm
Connection 1	Duct end
Connection 2	Duct end
Embeddable in concrete	Yes
Antistatic version	No

78316102

CUSTOMS

CE Indicator	No
Customs tariff number	Rohre und Schläuche, nicht biegsam, aus anderen Kunststoffen als aus Polymeren des Ethylens, des Propylens u. des Vinylchlorids (39172900)

LOGISTICS

Delivery time (working days)	15 Days
------------------------------	---------

OTHER

Contains battery	No
REACH Indicator	No
Unlimited shelf life	Yes

MORE PICTURES



78316102

