




Fränkische

79120001

GTIN: 4013960326147

Fränkische alpex press plug 20-Rp1/2

alpex ac

79120001

ITEM DETAILS

Reusable female thread pressure test plug according to DIN EN 10226-1 to pressure-test alpex and turatec pipes up to 15 bar.

CHARACTERISTICS

COMMERCIAL DATA

FEATURES

Product group	Fitting with 1 connection (EC003023)
Main colour fitting	Other
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Material connection 1	Brass
Material quality connection 1	CuZn40Pb2 (CW617N)
Surface protection connection 1	Untreated
Surface treatment connection 1	Untreated
Nominal diameter connection 1	DN 15
Outer pipe diameter connection 1	20 mm
Wall thickness, connection 1	2.00 mm
Connection 1	Insert (push-fitting)
Max. operating pressure at 20 °C	10 bar
Material sealing	Ethylene-propylene diene monomer rubber (EPDM)
Length of connection 1	49 mm
Working length connection 1	21 mm
Ring stiffness class	Other
With connection indicator	No
DIN-CERTCO certificate	No

79120001

VdS quality mark	No
With approval for TÜV	No
DVGW quality mark for gas	No
DVGW quality mark for water	No
Compliant with NF 545	No
KIWA certified	No
Gastec QA mark	No
KOMO certified	No
Type approval according to BBR/EKS	No
System specific	Yes
With sealing rings/gaskets	Yes
Capped	Yes

CUSTOMS

CE Indicator	No
Customs tariff number	Rohrformstücke, Rohrverschlussstücke und Rohrverbindungsstücke (z.B. Bogen, Muffen), aus Kupferlegierungen (74122000)

LOGISTICS

Delivery time (working days)	15 Days
------------------------------	---------

OTHER

Contains battery	No
REACH Indicator	No
Unlimited shelf life	Yes

79120001

MORE PICTURES

