




Fränkische

82816762

GTIN: 4013960526684

Fränkische alpex adapter with MT PPSU 16-R1/2

alpex



alpex

Die alpex-Familie: Trinkwasserinstallation und Heizungsinstallation mit System

Wer bei der Trinkwasser- und Heizungsinstallation auf Nummer sicher gehen möchte, setzt auf alpex von FRÄNKISCHE. Die einzelnen Komponenten unserer alpex-Familie sind bis ins Detail aufeinander abgestimmt und ergeben ein rundum sicheres System.

82816762

ITEM DETAILS

Male thread adapter according to DIN EN 10226-1 made of PPSU for drinking water and heating system installations featuring a white fixation ring with integrated inspection holes, fixed stainless steel pressing sleeve and leak function. Pressable with pressing contours F and TH.

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	10 Piece
Order step size	10 Piece

FEATURES

Product group	Fitting with 2 connections (EC003024)
Main colour fitting	White
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Shape	Straight
Connection 1	Press sleeve
Material connection 1	Polyphenylsulfone (PPSU)
Nominal diameter connection 1	DN 12
Material quality connection 1	Other
Contour code connection 1	F/TH
Outer pipe diameter connection 1	16 mm
Nominal diameter connection 2	DN 15
Connection 2	External thread conical BSPT-R (ISO 7-1 / EN 10226-1)
Material sealing	Ethylene-propylene diene monomer rubber (EPDM)
Surface protection connection 1	Untreated

82816762

Length	58 mm
Surface treatment connection 1	Untreated
Max. operating pressure at 20 °C	10 bar
Material connection 2	Polyphenylsulfone (PPSU)
Material quality connection 2	Other
Surface protection connection 2	Untreated
Surface treatment connection 2	Untreated
Model	1-part
Wall thickness, connection 1	2.00 mm
Working length connection 1	20 mm
Reducing	Yes
System specific	Yes
With sealing rings/gaskets	Yes
CUSTOMS	
CE Indicator	No
Customs tariff number	Formstucke, Verschlussstücke oder Verbindungsstücke (z.B. Kniestücke, Flansche), aus Kunststoffen (39174000)
LOGISTICS	
Delivery time (working days)	15 Days
OTHER	
Contains battery	No
REACH Indicator	No
Unlimited shelf life	Yes

82816762

MORE PICTURES

