




Fränkische

82820100

GTIN: 4013960394849

Fränkische alpex coupling PPSU 20-20

alpex



alpex

Die alpex-Familie: Trinkwasserinstallation und Heizungsinstallation mit System

Wer bei der Trinkwasser- und Heizungsinstallation auf Nummer sicher gehen möchte, setzt auf alpex von FRÄNKISCHE. Die einzelnen Komponenten unserer alpex-Familie sind bis ins Detail aufeinander abgestimmt und ergeben ein rundum sicheres System.

82820100

ITEM DETAILS

Coupling made of PPSU for drinking water and heating system installations featuring white fixation rings with integrated inspection holes, fixed stainless steel pressing sleeves and leak function. Pressable with pressing contours F and TH.

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	10 Piece
Order step size	10 Piece

FEATURES

Product group	Fitting with 2 connections (EC003024)
Main colour fitting	White
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Shape	Straight
Connection 1	Press sleeve
Material connection 1	Polyphenylsulfone (PPSU)
Nominal diameter connection 1	DN 15
Material quality connection 1	Other
Contour code connection 1	F/TH
Outer pipe diameter connection 1	20 mm
Nominal diameter connection 2	DN 15
Outer pipe diameter connection 2	20 mm
Connection 2	Press sleeve
Contour code connection 2	F/TH
Material sealing	Ethylene-propylene diene monomer rubber (EPDM)

82820100

Surface protection connection 1	Untreated
Length	58 mm
Surface treatment connection 1	Untreated
Max. operating pressure at 20 °C	10 bar
Material connection 2	Polyphenylsulfone (PPSU)
Material quality connection 2	Other
Surface protection connection 2	Untreated
Surface treatment connection 2	Untreated
Model	1-part
Wall thickness, connection 1	2.00 mm
Wall thickness, connection 2	2.00 mm
Working length connection 1	8 mm
System specific	Yes
With sealing rings/gaskets	Yes

CUSTOMS

CE Indicator	No
Customs tariff number	Formstucke, Verschlussstücke oder Verbindungsstücke (z.B. Kniestücke, Flansche), aus Kunststoffen (39174000)

LOGISTICS

Delivery time (working days)	15 Days
------------------------------	---------

OTHER

Contains battery	No
REACH Indicator	No
Unlimited shelf life	Yes

82820100

MORE PICTURES

