



Fränkische **82916753**

GTIN: 4013960397369

Fränkische alpex radiator conn. tee 16-15 CU -330

alpex



alpex

Die alpex-Familie: Trinkwasserinstallation und Heizungsinstallation mit System

Wer bei der Trinkwasser- und Heizungsinstallation auf Nummer sicher gehen möchte, setzt auf alpex von FRÄNKISCHE. Die einzelnen Komponenten unserer alpex-Familie sind bis ins Detail aufeinander abgestimmt und ergeben ein rundum sicheres System.

82916753

ITEM DETAILS

Radiator connection tee made of brass with nickel-plated copper pipe 15x1 for wall or floor connection of radiators featuring a white fixation ring with integrated inspection holes, fixed stainless steel pressing sleeve and leak function. Pressable with pressing contours F and TH.

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	2 Piece
Order step size	2 Piece

FEATURES

Product group	Fitting with 3 connections (EC003025)
Main colour fitting	Other
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Material connection 1	Brass
Material quality connection 1	CuZn39Pb3 (CW614N)
Surface protection connection 1	Untreated
Surface treatment connection 1	Untreated
Material connection 2	Brass
Material quality connection 2	CuZn39Pb3 (CW614N)
Surface protection connection 2	Untreated
Surface treatment connection 2	Untreated
Material connection 3	Brass
Material quality connection 3	CuZn39Pb3 (CW614N)
Surface protection connection 3	Untreated
Surface treatment connection 3	Untreated

82916753

Model	T-piece
Nominal diameter connection 1	DN 12
Outer pipe diameter connection 1	16 mm
Wall thickness, connection 1	2.00 mm
Connection 1	Press sleeve
Contour code connection 1	F/TH
Nominal diameter connection 2	DN 12
Outer pipe diameter connection 2	15 mm
Wall thickness, connection 2	1.00 mm
Connection 2	Spigot/tube end
Nominal diameter connection 3	DN 12
Outer pipe diameter connection 3	16 mm
Wall thickness, connection 3	2.00 mm
Connection 3	Press sleeve
Contour code connection 3	F/TH
Material sealing	Ethylene-propylene diene monomer rubber (EPDM)
Length of connection 1	40 mm
Working length connection 1	12 mm
Length of connection 2	330 mm
Length of connection 3	40 mm
Working length connection 3	12 mm
Max. operating pressure at 20 °C	10 bar
Reducing	Yes
System specific	Yes
With sealing rings/gaskets	Yes

82916753

CUSTOMS

CE Indicator	No
Customs tariff number	Rohrformstücke, Rohrverschlussstücke und Rohrverbindungsstücke (z.B. Bogen, Muffen), aus Kupferlegierungen (74122000)

LOGISTICS

Delivery time (working days)	15 Days
------------------------------	---------

OTHER

Contains battery	No
REACH Indicator	No
Unlimited shelf life	Yes

MORE PICTURES



82916753

