




Fränkische

8291685001

GTIN: 4013960595208

Fränkische alpex elbow adapter fix connector uni 16-G1/2

alpex



alpex

Die alpex-Familie: Trinkwasserinstallation und Heizungsinstallation mit System

Wer bei der Trinkwasser- und Heizungsinstallation auf Nummer sicher gehen möchte, setzt auf alpex von FRÄNKISCHE. Die einzelnen Komponenten unserer alpex-Familie sind bis ins Detail aufeinander abgestimmt und ergeben ein rundum sicheres System.

8291685001

ITEM DETAILS

Female thread elbow adapter according to DIN EN ISO 228 made of dezincification-resistant lead-free silicon bronze to connect Geberit concealed toilet cisterns as of 2002, MeplaFix / MasterFix connections (male thread MF 1/2), Conel VIS mounting elements, Conel Vigour bathtub drain and overflow sets, Sanit Ineo WC and urinal elements, Sanit Swing bathtub drain and overflow sets and Viega wall plates for Prevista featuring fixed stainless steel sleeve and optical indicator for verifying correct positioning. Pressable with pressing contours F and TH.

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	10 Piece
Order step size	10 Piece

FEATURES

Product group	Fitting with 2 connections (EC003024)
Main colour fitting	Brass
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Shape	Elbow (fitting)
Connection 1	Press sleeve
Material connection 1	Brass
Nominal diameter connection 1	DN 12
Material quality connection 1	CuZn21Si3P (CW724R)
Contour code connection 1	F/TH
Outer pipe diameter connection 1	16 mm
Nominal diameter connection 2	DN 15
Connection 2	Internal thread cylindrical BSPT-Rp (ISO 7-1 / EN 10226-1)

8291685001

Material sealing	Ethylene-propylene diene monomer rubber (EPDM)
Surface protection connection 1	Untreated
Wrench width	24 mm
Surface treatment connection 1	Untreated
Max. operating pressure at 20 °C	10 bar
Material connection 2	Brass
Material quality connection 2	CuZn21Si3P (CW724R)
Surface protection connection 2	Untreated
Surface treatment connection 2	Untreated
Model	1-part
Wall thickness, connection 1	2.00 mm
Length of connection 1	45 mm
Working length connection 1	17 mm
Length of connection 2	33 mm
Working length connection 2	23 mm
Reducing	Yes
System specific	Yes
With sealing rings/gaskets	Yes

CUSTOMS

CE Indicator	No
Customs tariff number	Rohrformstücke, Rohrverschlussstücke und Rohrverbindungsstücke (z.B. Bogen, Muffen), aus Kupferlegierungen (74122000)

LOGISTICS


Delivery time (working days)	15 Days
------------------------------	---------

8291685001

OTHER

Contains battery	No
ECHA DB Scip ID	0b25aa61-32ea-4a01-822b-30698e5a9b02
REACH Indicator	No
Unlimited shelf life	Yes

MORE PICTURES



8291685001