




Fränkische

# 8292667401

GTIN: 4013960394160

Fränkische alpex transition coupling flat-sealing 26-G1

alpex



alpex

Die alpex-Familie: Trinkwasserinstallation und Heizungsinstallation mit System

Wer bei der Trinkwasser- und Heizungsinstallation auf Nummer sicher gehen möchte, setzt auf alpex von FRÄNKISCHE. Die einzelnen Komponenten unserer alpex-Familie sind bis ins Detail aufeinander abgestimmt und ergeben ein rundum sicheres System.

8292667401

ITEM DETAILS

Flat-sealing adapter made of dezincification-resistant lead-free silicon bronze to create detachable connections in drinking water and heating systems featuring a white fixation ring with integrated inspection holes, fixed stainless steel pressing sleeve and leak function. Pressable with pressing contours F and TH.

CHARACTERISTICS

COMMERCIAL DATA

|                        |         |
|------------------------|---------|
| Minimum order quantity | 5 Piece |
| Order step size        | 5 Piece |

FEATURES

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Product group                                      | Fitting with 2 connections (EC003024)                      |
| Main colour fitting                                | Brass                                                      |
| Medium temperature (continuous)                    | 0 - 95 °C                                                  |
| Max. operating pressure at max. medium temperature | 10 bar                                                     |
| Shape                                              | Straight                                                   |
| Connection 1                                       | Press sleeve                                               |
| Material connection 1                              | Brass                                                      |
| Nominal diameter connection 1                      | DN 20                                                      |
| Material quality connection 1                      | CuZn21Si3P (CW724R)                                        |
| Contour code connection 1                          | F/TH                                                       |
| Outer pipe diameter connection 1                   | 26 mm                                                      |
| Nominal diameter connection 2                      | DN 25                                                      |
| Connection 2                                       | Internal thread cylindrical BSPT-Rp (ISO 7-1 / EN 10226-1) |
| Material sealing                                   | Ethylene-propylene diene monomer rubber (EPDM)             |
| Surface protection connection 1                    | Untreated                                                  |

8292667401

|                                  |                     |
|----------------------------------|---------------------|
| Wrench width                     | 37 mm               |
| Surface treatment connection 1   | Untreated           |
| Max. operating pressure at 20 °C | 10 bar              |
| Material connection 2            | Brass               |
| Material quality connection 2    | CuZn21Si3P (CW724R) |
| Surface protection connection 2  | Untreated           |
| Surface treatment connection 2   | Untreated           |
| Model                            | 2-part              |
| Wall thickness, connection 1     | 3.00 mm             |
| Length of connection 1           | 49 mm               |
| Working length connection 1      | 14 mm               |
| Reducing                         | Yes                 |
| System specific                  | Yes                 |
| With sealing rings/gaskets       | Yes                 |

#### CUSTOMS

|                       |                                                                                                                       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------|
| CE Indicator          | No                                                                                                                    |
| Customs tariff number | Rohrformstücke, Rohrverschlussstücke und Rohrverbindungsstücke (z.B. Bogen, Muffen), aus Kupferlegierungen (74122000) |

#### LOGISTICS

|                              |         |
|------------------------------|---------|
| Delivery time (working days) | 15 Days |
|------------------------------|---------|

#### OTHER

|                      |                                      |
|----------------------|--------------------------------------|
| Contains battery     | No                                   |
| ECHA DB Scip ID      | 0b25aa61-32ea-4a01-822b-30698e5a9b02 |
| REACH Indicator      | No                                   |
| Unlimited shelf life | Yes                                  |

8292667401

MORE PICTURES

