



Fränkische

85900932

GTIN: 4013960328721

Fränkische alpex connection coupling flat-sealing R1/2-G3/4

alpex ac

85900932

ITEM DETAILS

Flat-sealing connection coupling made of brass to create detachable connections in combination with alpex flat-sealing adapters. R-thread according to DIN EN 10226-1, G-thread according to DIN EN ISO 228-1.

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	10 Piece
Order step size	10 Piece

85900932

FEATURES

Product group	Fitting with 2 connections (EC003024)
Main colour fitting	Brass
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Shape	Straight
Connection 1	External thread conical BSPT-R (ISO 7-1 / EN 10226-1)
Material connection 1	Brass
Nominal diameter connection 1	DN 15
Material quality connection 1	CuZn21Si3P (CW724R)
Nominal diameter connection 2	DN 20
Connection 2	External thread cylindrical BSPP-G (ISO 228-1)
Material sealing	Other
Surface protection connection 1	Untreated
Wrench width	27 mm
Surface treatment connection 1	Untreated
Max. operating pressure at 20 °C	10 bar
Material connection 2	Brass
Material quality connection 2	CuZn21Si3P (CW724R)
Surface protection connection 2	Untreated
Surface treatment connection 2	Untreated
Model	2-part
Reducing	Yes

85900932

CUSTOMS

CE Indicator	No
Customs tariff number	Rohrformstücke, Rohrverschlussstücke und Rohrverbindungsstücke (z.B. Bogen, Muffen), aus Kupferlegierungen (74122000)

LOGISTICS

Delivery time (working days)	15 Days
------------------------------	---------

OTHER

Contains battery	No
ECHA DB Scip ID	5b62bbdc-3ef9-4dc3-9298-082264d47367
REACH Indicator	No
Unlimited shelf life	Yes

MORE PICTURES



85900932

