



Fränkische

86750768

GTIN: 4013960400601

Fränkische alpex L adapter with MT 50-R2

alpex L



alpex L

Mehrschichtverbundrohrsystem für die Trinkwasser- und Heizungsinstallation in den großen Dimensionen 40-75

- Mit Leckagefunktion - Großes Sichtfenster zur Einsteckkontrolle - Strömungsoptimiert - Fittings aus Kunststoff PPSU und entzinkungsbeständigem Messing - Doppelte Sicherheit durch 2 O-Ringe - Optimale Ergänzung zu alpex F50 PROFi

86750768

ITEM DETAILS

Male thread adapter according to DIN EN 10226-1 made of dezincification-resistant brass for drinking water and heating system installations featuring a white fixation ring with integrated inspection holes, fixed stainless steel pressing sleeve and leak function. Pressable with pressing contour F.

CHARACTERISTICS

COMMERCIAL DATA

Minimum order quantity	2 Piece
Order step size	2 Piece

FEATURES

Product group	Fitting with 2 connections (EC003024)
Main colour fitting	Brass
Medium temperature (continuous)	0 - 95 °C
Max. operating pressure at max. medium temperature	10 bar
Shape	Straight
Connection 1	Press sleeve
Material connection 1	Brass
Nominal diameter connection 1	DN 40
Material quality connection 1	CuZn21Si3P (CW724R)
Contour code connection 1	F
Outer pipe diameter connection 1	50 mm
Nominal diameter connection 2	DN 50
Connection 2	External thread conical BSPT-R (ISO 7-1 / EN 10226-1)
Material sealing	Ethylene-propylene diene monomer rubber (EPDM)
Surface protection connection 1	Untreated

86750768

Length	89 mm
Surface treatment connection 1	Untreated
Max. operating pressure at 20 °C	10 bar
Material connection 2	Brass
Material quality connection 2	CuZn21Si3P (CW724R)
Surface protection connection 2	Untreated
Surface treatment connection 2	Untreated
Model	1-part
Wall thickness, connection 1	4.00 mm
Working length connection 1	17 mm
Reducing	Yes
System specific	Yes
With sealing rings/gaskets	Yes

CUSTOMS

CE Indicator	No
Customs tariff number	Rohrformstücke, Rohrverschlussstücke und Rohrverbindungsstücke (z.B. Bogen, Muffen), aus Kupferlegierungen (74122000)

LOGISTICS

Delivery time (working days)	15 Days
------------------------------	---------

OTHER

Contains battery	No
ECHA DB Scip ID	38751d69-c49b-44a5-ad7f-6d7e469c746e
REACH Indicator	No
Unlimited shelf life	Yes

86750768

MORE PICTURES

